

Safety Data Sheet

Gram Safranin

Revision Date: 6/15/15

1. PRODUCT AND COMPANY IDENTIFICATION

- 1.1 Product identifier** Trade name: Gram Safranin
Product code(s): 400332, 400333, 400334, 400335
- 1.2 Relevant identified use** Laboratory Reagent
- 1.3 Supplier** Company:
HealthLink, Inc.
3611 St Johns Bluff Road South, Suite 1
Jacksonville, FL 32224
- 1.4 Emergency Telephone** CHEMTREC 800.424.9300

2. HAZARDS IDENTIFICATION

2.2 GHS Label elements, including precautionary statements



Signal word: **Warning!**

2.1 Classification of the substance or mixture

Hazard statement(s):

- H315: Causes skin irritation (Cat 2)
- H319: Causes serious eye irritation (Cat 2/2A).
- H332: Harmful if inhaled (Cat 4).

Precautionary statement(s):

- P260: Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
- P280: Wear protective gloves/ eye protection/ face protection.
- P305+351+338: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 WHMIS Classification

- B-2: Flammable Liquid
- D-2B: Material causing other toxic effects.

2.4 NFPA Rating

- Health hazard: 1
- Fire: 1
- Reactivity Hazard: 0

2.5 Target Organs

Eyes, Kidney, Liver, Heart, Central nervous system

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Components	Name	CAS number	% by weight
	Methanol	67-56-1	<1
	Ethanol	64-17-5	<18
	Safranin	477-73-6	<1
	Water	7732-18-5	<82

4. FIRST AID MEASURES

4.1 General Information

Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact:	In case of contact, flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation:	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion:	Call medical doctor or poison control center immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media:	Use dry chemical, CO ₂ , water spray (fog) or foam. Not suitable, do not use water jet.
5.2 Special hazards:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
5.3 Hazardous Products:	Prevent run-off to sewer
5.4 Hazardous Thermal Decomposition products:	Decomposition products may include the following: Oxides of carbon
5.5 Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
5.6 Special remarks on explosion hazards:	Development of hazardous combustion gases or vapors possible in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
----------------------------------	---

6.2 Environmental precaution: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Clean up: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.

7. HANDLING AND STORAGE

7.1 Safe Handling: Do not get in eyes, on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Use empty containers to retain product, residue can be hazardous. Do not reuse container.

7.2 Storage: Store in accordance with local regulations. Store in a segregated and approved area.. Store in original container, protected from direct sunlight. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Ethanol:

Exposure limits
ACGIH TLV (United States, 3/2012). Absorbed through skin.
STEL: 1000 ppm 15 minute(s).
STEL: 328 mg/m³ 15 minute(s).
OSHA PEL 1989 (United States, 3/1989). Absorbed through skin.
TWA: 1000 ppm 8 hour(s).
TWA: 1900 mg/m³ 8 hour(s).
NIOSH REL (United States, 1/2013). Absorbed through skin.
TWA: 1000 ppm 10 hour(s).
TWA: 1900 mg/m³ 10 hour(s).
OSHA PEL (United States, 6/2010).
TWA: 1000 ppm 8 hour(s).
TWA: 1900 mg/m³ 8 hour(s).

8.2 Engineering measures: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.

8.3 Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8.4 Personal protection

Respiratory: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene

Eyes: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary. Recommended: splash goggles

Skin: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

8.5 Environmental exposure controls: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state:	Liquid.	Color:	Reddish/maroon
Flash Point:	Not available	Odor:	Characteristic, alcohol-like.
pH:	Not available	Boiling/condensation point:	Not available
Melting/freezing point:	Not available	Relative density:	Not available
Vapor pressure:	Not available	Vapor density:	Not available
Odor threshold:	Not available	Evaporation rate:	<20%
VOC:	~20% (w/w)	Solubility:	Soluble in water

10. STABILITY AND REACTIVITY

10.1 Chemical stability: The product is stable.

10.2 Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

10.3 Hazardous polymerization: Under normal conditions of storage and use, hazardous polymerization will not occur.

10.4 Conditions to avoid: A Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition

10.5 Materials to avoid: Reactive oxidizing materials.

10.6 Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not occur

10.7 Conditions of reactivity: Excessive heat and oxidizing materials.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute Toxicity

Oral LD50:	no data available
Inhalation LC50:	no data available
Dermal LD50:	no data available
Other information on acute toxicity:	no data available
Skin corrosion/irritation:	no data available
Serious eye damage/eye irritation:	no data available
Respiratory or skin sensitization:	no data available

Germ cell mutagenicity: no data available
Specific target organ toxicity, single exposure (Globally Harmonized System): no data available
Specific target organ toxicity, repeated exposure (Globally Harmonized System): no data available
Aspiration hazard: no data available

11.2 Potential Health Effects

Inhalation: Toxic if inhaled. Causes respiratory tract irritation.
Ingestion: Toxic if swallowed.
Skin: Toxic if absorbed through skin. Causes skin irritation.
Eyes: Causes eye irritation.

11.2 Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been investigated.

12. ECOLOGICAL INFORMATION

12.1 Data:

Toxicity: No data available
Persistence and degradability: No data available
Bioaccumulative potential: No data available
Mobility in soil: No data available
PBT and vPvB assessment: No data available
Other adverse effects: No data available

13. DISPOSAL CONSIDERATIONS

13.1 Methods: The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national, local laws and regulations.

14. TRANSPORT INFORMATION

Land Transport DOT (US)

Not regulated

15. REGULATORY INFORMATION

United States

HCS Classification: Flammable liquid, Highly toxic material, Irritating material, Target organ effects

U.S. Federal regulations: United States inventory (TSCA 8b):

TSCA 8(d) H and S data reporting: No products were found.
TSCA (Toxic substance control act): This product is listed on the TSCA inventory.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304/311/312 hazardous chemicals: Ethanol
SARA 311/312 MSDS distribution - chemical inventory - hazard identification:
Ethanol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard.
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.
Clean Air Act (CAA) 112 accidental release prevention: No products were found.
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

**DEA List I & II Chemicals
(Precursor Chemicals):** Not listed

RTK: Ethanol CAS 64-17-5, Methanol, CAS 67-56-1

Connecticut, Massachusetts, Minnesota, New Jersey, Pennsylvania, Rhode Island

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

<u>Ingredient name</u>	<u>Cancer</u>	<u>Reproductive</u>	<u>No significant risk level</u>	<u>Maximum acceptable dosage level</u>
Methanol	No.	Yes.	No.	No.

CANADA

WHMIS (Canada):

Class B-2: Flammable Liquid
Class D-2B: Material causing other toxic effects (Toxic).

Canadian lists:

CEPA Toxic substances: None of the components are listed.
Canadian ARET: None of the components are listed.
Canadian NPRI: The following components are listed: Ethanol
Alberta Designated Substances: None of the components are listed.
Ontario Designated Substances: None of the components are listed.
Quebec Designated Substances: None of the components are listed.

CEPA DSL / CEPA NDSL:

All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

International lists:

Australia inventory (AICS): All components are listed or exempted.
China inventory (IECSC): All components are listed or exempted.
Japan inventory: Not determined.
Korea inventory: Not determined.
New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.
Philippines inventory (PICCS): All components are listed or exempted.

16. OTHER INFORMATION



National Fire Protection Association (U.S.A.)

Disclaimer

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Healthlink shall not be liable for any damage resulting from handling.